

Subscribe (Full Service) Register (Limited Service, Free) Login

Search: The ACM Digital Library O The Guide

Related SIGs

Searching within The ACM Digital Library with Advanced Search: (monitor and network and device) (start a new search)

Found 6 248 of 255 808

REFINE YOUR SEARCH	Sparce Regules • Related Journa • Related Conferences	als • Related Megazines • Rela
→ Flefine by Keywords	Results 1 - 20 of 6,248 Save results to a	Sort by relevance in expanded form
	Binder	expanded form
Discovered	Result page: 1 2 3 1 Detecting identity-based attacks in with	4 5 6 7 8 9 10 next >> reless networks using signalprints
Terms	Daniel B. Faria, David R. Cheriton	

Publisher: ACM Nequest Permissions

Full text available: Pdf (327.56

Refine by People Names

institutions Authors Editors Reviewers

 Refine by Publications Publication Year

Publication Names ACM Publications All Publications Content Formats Publishers

 Refine by Conferences Sponsors Events Proceeding Senes

ADVANCED SEARCH

Advanced Search

FEEDBACK

Please provide us with feedback

Found 6.248 of 255.808

Wireless networks are vulnerable to many identity-based attacks in which a malicious device uses forged MAC addresses to masquerade as a specific client or to create multiple illegitimate identities. For example, several link-layer services in IEEE 802.11 ...

September 2006 WISe '06: Proceedings of the 5th ACM workshop on Wireless security

Bibliometrics: Downloads (6 Weeks): 113. Downloads (12 Months): 552. Citation Count: 13

Keywords: IEEE 802.11., denial-of-service attacks, location-based services, security, wireless I ANs

2 The implementation of an SVP many-core processor and the evaluation of its

memory architecture

Chris Jesshope, Mike Lankamp, Li Zhang July SIGARCH Computer Architecture News, Volume 37 Issue 2 2009

Publisher: ACM

Full text available: Pcii (918.52

Additional Information: full citation, abstract, references

Additional Information: hull citation, abstract, references, index terms

Bibliometrics: Downloads (6 Weeks): 11. Downloads (12 Months): 11. Citation Count: 0

Many-core processor architectures require scalable solutions that reflect the locality and power constraints of future generations of silicon technology. This paper presents a many-core processor that supports an abstract model of concurrency, based ...

3 Enhancing the security of corporate Wi-Fi networks using DAIR

Paramvir Bahl, Ranveer Chandra, Jitendra Padhye, Lenin Ravindranath, Manpreet Singh,

Alec Wolman, Brian Zill

June MobiSys '06: Proceedings of the 4th international conference on Mobile systems, applications and services

Publisher: ACM Nequest Permissions

Full text available: Pdi (302.26 Additional Information: juli citation, abstract, references, index terms

Bibliometrics: Downloads (6 Weeks): 45, Downloads (12 Months): 440, Citation Count: 5

We present a framework for monitoring enterprise wireless networks using desktop interstructure. The framework is called DAIR, which is short for *Dense Array* of *Inexpensive Radios*. We demonstrate that the DAIR framework is useful for detecting ...

Keywords: 802.11, denial-of-service, rogue AP, security, wireless networks

Digital liberties: free speech and privacy under attack in cyberspace

May Crossroad

May Crossroads , Volume 1 Issue 4 1995

Publisher: ACM Request Permissions
Full text available: Full text available: (46.52)

Additional Information: full citation, index terms

Bibliometrics: Downloads (6 Weeks): 2, Downloads (12 Months): 14, Citation Count: 0

5 Secure rural supply chain management using low cost paper watermarking

Ashlesh Sharma, Lakshminarayanan Subramanian, Eric A. Brewer

August NSDR '08: Proceedings of the second ACM SIGCOMM workshop on Networked 2008 systems for developing regions

2008 systems for developing regions

Publisher: ACM

Full text available: ☐2df (315.26 Additional Information: full citation, abstract, references, index terms

Bibliometrics: Downloads (6 Weeks): 9, Downloads (12 Months): 95, Citation Count: 0

Supply chain systems in rural developing regions are extremely fragile and are vulnerable to a wide range of security threats including theft, fraud and counterfeit goods. In this paper, we propose the design of a secure, low cost supply chain management ...

Keywords: paper authentication, paper speckle, supply chain

6 Reducing the harmful effects of last-level cache polluters with an OS-level, softwareonly pollute buffer

Livio Soares, David Tam, Michael Stumm

November MICRO '08: Proceedings of the 2008 41st IEEE/ ACM International Symposium on Microarchitecture - Volume 00 , Volume 00

Publisher: IEEE Computer Society

Full text available: Pdf (681.23 Additional Information: full citation, abstract, references

Bibliometrics: Downloads (6 Weeks): 17, Downloads (12 Months): 57, Citation Count: 2

It is well recognized that LRU cache-line replacement can be ineffective for applications with large working sets or non-localized memory access patterns. Specifically, in last-level processor caches, LRU can cause cache pollution by inserting non-reuseable ...

7 Adaptive brain interfaces

José del R. Millán

March 2003 Communications of the ACM, Volume 46 Issue 3

Publisher: ACM Request Permissions
Full text available: Full (227.01

KB)

Additional Information: <u>full citation</u>, <u>abstract</u>, references, <u>orted by</u>, index

terms

Bibliometrics: Downloads (6 Weeks): 16, Downloads (12 Months): 144, Citation Count: 6

Users interact with physical devices through nothing more than the voluntary control of their own mental activity.

8 Designing a Safe Network Using Firewalls

Paul Wouters

August 1997 Linux Journal , Volume 1997 Issue 40es

Publisher: Specialized Systems Consultants, Inc.

Full text available: Html (26.47 Additional Information: full citation, abstract, cited by, index terms

Bibliometrics: Downloads (6 Weeks): 12, Downloads (12 Months): 113, Citation Count: 1

It is by no means necessary to purchasse specialized firewall hardware or even software. A Linux server--running on a \$400 386 PC-- provides as much protection as most commercial firewalls, with much greater flexibility and eas

9 ATLAS: a chip-multiprocessor with transactional memory support

Njuguna Njoroge, Jared Casper, Sewcok Wee, Yuriy Teslyar, Daxia Ge, Christos Kozyrakis, Kunle Olukotun

April DATE '07: Proceedings of the conference on Design, automation and test in 2007 Europe

Publisher: EDA Consortium

Full text available: Pdf (754.55 Additional Information: full citation, abstract, references

Bibliometrics: Downloads (6 Weeks): 9, Downloads (12 Months): 70, Citation Count: 2

Chip-multiprocessors are quickly becoming popular in embedded systems. However, the practical success of CMPs strongly depends on addressing the difficulty of multithreaded application development for such systems. Transactional Memory (TM) promises ...

10 Using general-purpose programming languages for FPGA design

Brad L. Hutchings, Brent E. Nelson

June DAC '00: Proceedings of the 37th Annual Design Automation Conference

2000

Publisher: ACM Request Permissions

Full text available: Fuel (287.38 Additional Information: full citation, abstract, references, oded by, index. KB)

KB) terms

Bibliometrics: Downloads (6 Weeks); 2. Downloads (12 Months); 21. Citation Count; 9

General-purpose programming languages (GPL) are effective vehicles for FPGA design because they are easy to use, extensible, widely available, and can be used to describe both the hardware and software aspects of a design. The strengths of the GPL approach ...

11 Enhancing location privacy in wireless LAN through disposable interface identifiers:

🙈 a quantitative analysis

Marco Gruteser, Dirk Grunwald

September WMASH '03: Proceedings of the 1st ACM international workshop on Wireless mobile applications and services on WLAN hotspots

Publisher: ACM National Request Permissions

Full text available: Pet (410.84 Additional Information: full citation, abstract, references, each by, index terms

Bibliometrics: Downloads (6 Weeks): 5. Downloads (12 Months): 37. Citation Count: 13

The recent proliferation of wireless local area networks (WLAN) has introduced new location privacy risks. An adversary controlling several access points could triangulate a client's position. In addition, interface identifiers uniquely identify...

Keywords: interface identifiers, location privacy, wireless LAN

12 Automatic discovery of technology trends from patent text

Youngho Kim, Yingshi Tian, Yooniae Jeong, Ryu Jihee, Sung-Hyon Myaeng

March SAC '09: Proceedings of the 2009 ACM symposium on Applied Computing 2009

Publisher: ACM Nequest Permissions

Full text available: Pdf (416.48 Additional Information: full citation, abstract, references, index terms

Bibliometrics: Downloads (6 Weeks); 22. Downloads (12 Months); 54. Citation Count; 0

Patent text is a rich source to discover technological progresses, useful to understand the trend and forecast upcoming advances. For the importance in mind, several researchers have attempted textual-data mining from patent documents. However, previous ...

Keywords: information extraction, patent, text mining, trend

13 Flexible frameworks for medical multimedia

Michael W. Halle, Ron Kikinis
October MULTI MEDI A '04: Proceedings of the 12th annual ACM international 2004 conference on Multimedia

Publisher: ACM Nequest Permissions

Full text available: Traff (1.50 Additional Information: full citation, abstract, references, cited by, index.

Bibliometrics: Downloads (6 Weeks): 15. Downloads (12 Months): 113. Citation Count: 1

The next generation of medical systems will integrate multimodality and multimedia data from a variety of sources to aid individual ysicians in providing the best treatment and care for their patients and to help researchers understand patterns of disease ...

Keywords: BIRN, RDF, feature extraction, image guided therapy, medical imaging, multimedia, neurosurgery, ontologies, publish and subscribe systems, search, segmentation, semantic web

14 Virtualizing the data plane through source code merging

Eric Keller, Evan Green

August PRESTO '08: Proceedings of the ACM workshop on Programmable routers for extensible services of tomorrow

2008 extensible services of tomorrow

Publisher: ACM Nequest Permissions

Full text available: Pdf (153.78 Additional Information: juli citation, abstract, references, index terms

Bibliometrics: Downloads (6 Weeks): 6, Downloads (12 Months): 74, Citation Count: 2

Virtualization is a key technology that enables multiple research groups to test new protocols simultaneously on the same physical network and also allows service providers to incrementally add new services. In this paper we focus on virtualization of ...

Keywords: architecture, routing, virtual router, virtualization

15 Interval constraint solving for camera control and motion planning

Frédéric Benhamou, Frédéric Goualard, Étic Languénou, Marc Christie Cutober 2004 Transactions on Computational Logic (TOCL), Volume 5 Issue 4 Publisher: ACM ♠ Request Permisions

Full text available: #Pof (1.68 Additional Information: tull citation, abstract, references, cited by, index.

MB) terms

Bibliometrics: Downloads (6 Weeks): 9, Downloads (12 Months): 73, Citation Count: 7

Many problems in robust control and motion planning can be reduced to either finding a sound approximation of the solution space determined by a set of nonlinear inequalities, or to the "guaranteed tuning problem" as defined by Jaulin and Walter, which ...

Keywords: Camera control, inner approximation, interval constraint, universal quantifier

16 Delayed password disclosure

🙈 Markus Jakobsson, Steven Myers

November DIM '07: Proceedings of the 2007 ACM workshop on Digital identity management

Publisher: ACM Pequest Permissions

Full text available: 1270.28 Additional Information: full citation, abstract, references, index terms

Bibliometrics: Downloads (6 Weeks): 3, Downloads (12 Months): 95, Citation Count: 2

We present a new authentication protocol called Delayed Password Disclosure. Based on the traditional user name and password paradigm, the protocol's goal is aimed at reducing the effectiveness of phishing/spoofing attacks that are becoming increasingly ...

Keywords: authentication, decisional & static diffie-hellman assumption, oblivious transfer, password authenticated key exchange, phishing, user interfaces

17 PEBBLES: A Personal Technology for Meeting Educational, Social and Emotional

Needs of Hospitalised Children

Patrice L. (Tamar) Weiss, Carolynn P. Whiteley, Jutta Treviranus, Deborah I. Fels
January Personal and Ubiquitous Computing, Volume 5 Issue 3

January Personal and Ubiquitous Computing, Volume 5 Issue 3 2001

Publisher: Springer-Verlag

Full text available: Pet (203.08 Additional Information: full citation, abstract, references, clied by, index.

(B) terms

Bibliometrics: Downloads (6 Weeks): 5, Downloads (12 Months): 42, Citation Count: 3

Wayne Gretzky's PEBBLES TM (Providing Education By Bringing Learning Environments to Students) is a unique example of a personal technology, one in which PC-based video-conferencing is used to make a real-time link between a hospitalised ...

18 AGQ: a model of student question generation supported by one-on-one educational

computing

Sung-Bin Chang, Hsien-Ming Huang, Kuan-Jung Tung, Tak-Wai Chan

May CSCL '05: Proceedings of th 2005 conference on Computer support for collaborative learning: learning 2005: the next 10 years!

Publisher: International Society of the Learning Sciences

Full text available: Pof (95.46 Additional Information: full citation, abstract, references

Bibliometrics: Downloads (6 Weeks): 6, Downloads (12 Months): 43, Citation Count: 4

One-on-one educational computing refers to 1 student 1 computing device, which means every student in a group uses a digital learning device. In this paper, we present a model of student question generation called AGQ, which stands for "asking a good ...

Keywords: one-on-one educational computing, peer question generation, question posing

19 Functional design of a generalized vehicle flight simulation program

Vilas D. Henderson

July Communications of the ACM, Volume 9 Issue 7 1966

Publisher: ACM Nequest Permissions

Full tout eveileble: The strong and

Additional Information: full citation

Bibliometrics: Downloads (6 Weeks): 3, Downloads (12 Months): 23, Citation Count: 0

20 A blind person's interactions with technology

Kristen Shinohara, Josh Tenenberg

August 2009 Communications of the ACM , Volume 52 Issue 8

Publisher: ACM & Request Permissions

Additional Information: full

Full text available: Digital Edition , Html (51.56 KB), Pdf (5.88 MB)

citation, abstract, references, index terms

Bibliometrics: Downloads (6 Weeks): 440, Downloads (12 Months): 440, Citation Count: 0

Meaning can be as important as usability in the design of technology.

Result page: 1 2 3 4 5 6 7 8 9 10 next

The ACM Portal is published by the Association for Computing Machinery. Copyright @ 2009 ACM, Inc.

Terms of Usage Privacy Policy Code of Ethics Contact Us